



**dek-king**  
by **wilks**

## Dek-King 5 Year Warranty





## INDEX

Foreword .....	Page 1
Warranty and Care .....	Page 2

### *Disclaimer*

*All information within this brochure is to our knowledge correct at the time of going to press. The instructions detailed herein are purely for guidance purposes only and it is the user's responsibility to ascertain best working practise before undertaking any works.*

*"Wilks" and "Dek-King" are registered trade marks of Wilks (Rubber Plastics) Mfgs Co Ltd.*

*No part of this catalogue may be reproduced without the express permission of Wilks (Rubber Plastics) Mfgs Co Ltd.*

Wilks is proud to be one of the world's leading companies in the manufacture and supply of impact protection and decking systems.

Since 1973 we have supplied many leading boat builders with their profiles and our customer base spans the globe.

We manufacture a wide range of fendering profiles for both boat and pontoon applications as well as accessories for other marine users including Dek-King®, a superb alternative to teak decking.

At our premises we hold a vast stock of profiles in flexible PVC, rigid PVC, PVR, stainless steel, aluminium and rubber; but as manufacturers we can also supply to meet your individual trade requirements.

If you are unable to find what you need then please do not hesitate to contact us to discuss your exact requirements. Our in-house tooling facilities ensure that we are able to offer our customers full support from the early stages of product development through to manufacture. We can also extrude custom-made profiles to your specific colour requirements with extremely reasonable order quantities.



## Dek-King® 5 Year Material Warranty

We at Wilks strongly believe in the quality and performance of our Dek-King range and offer a 5 year material guarantee on our profiles.

Whilst Dek-King greatly reduces the level of maintenance required in comparison to teak deck, it does not eliminate the need to maintain it entirely once installed. As with all flooring products, any spillages should be attended to as soon as possible. We are unable to offer our 5 year warranty on a deck where lack of care or maintenance is apparent, or damage caused to the material through contact with chemicals or solvents.

### Maintenance

A simple wash using soap and water should be sufficient to remove everyday dirt, grime and general spillages. Unlike teak decks, jet washers can be used upon Dek-King to give a thorough clean over larger areas.

Liquids such as fish blood, oil or red wine should be cleaned as soon as possible. Allowing the liquid to dry could result in a stain which is more difficult to remove.

Should any surface staining occur we recommend using a piece of 40 grit sandpaper rubbed "along the grain". This will remove most marks and return the area to it's original colour. This may be lighter than the surrounding area but should blend over a short period of time. Power sanders are not recommended as they can easily create an uneven surface or damage to the profiles and joins.

Our sales team will be happy to answer any questions that you may have with regard the upkeep of your deck.

By keeping your Dek-King in a clean and maintained state you will not only keep your deck looking good but will also ensure that it lasts for years to come.

### Chemicals or Solvents

Damage caused by chemicals or solvents such as bleach or acetone will void our warranty. Any spills of such liquids should be rinsed with water as soon as possible to prevent staining. Failure to clear such spillages may result in damage which could ruin the material.

Dek-King is a non-slip product and the application of any liquid surface covering may result in a loss of these properties. The use of these liquids (ie paint, varnish, oil, sealant) will void the warranty upon the product.

## Notes

Dek-King is manufactured to bear a resemblance to wood and therefore carries with it the inherent differences in colour and graining found within nature.

As with all boat decks, the use of appropriate footwear will reduce the likelihood of marking or damage caused to your deck.

Due to the colouring, Dek-King may become hot under direct sunlight. In such cases we recommend the wearing of deck shoes in order to walk comfortably upon it.

## Templates and fitting

The Dek-King mats that we supply to templates provided to us are made as accurately as possible. It is only natural that any errors or inaccuracies created during templating will be reflected in the mats that are supplied. The provision of accurate templates is the responsibility of the template manufacturer.

All quotations made are subject to change should it be discovered that inaccuracies are present in the details that were originally supplied.

Dek-King is designed to be fitted to an even and level surface. It should not be used to cover any deficiencies present upon a surface.

Wilks Material Warranty on our Dek-King profiles covers defects created during manufacture or in the performance of the base compound.