



# CHOOSING YOUR FENDERING PROFILE

**FLEXITEEK**

Beautifully engineered synthetic decking  
and marine products.

# CHOOSING YOUR FENDERING PROFILE


## CHOOSING YOUR FENDERING PROFILE

One of the first things to consider when selecting which profile to use is:

“Are you fitting your fendering to a flat or flanged (lipped) surface?”

The size of profile is then generally determined by the space available to work with on the boat as well as the requirements of the fendering.

A working boat will often be fitted with a heavy duty 'D' profile whereas in contrast a day cruiser would feature a profile akin to a rigid PVC/aluminium profile fitted with a PVC insert.




If you're still unsure which category your existing fendering falls into then please feel free to send us a small sample and to help identify the profile.


## LENGTHS

As noted within each product information panel shown both in our main catalogue and online, our larger rubber D profiles are generally stocked in 3m lengths. Whilst this means that the butt joining of profiles is required, it also ensures that manageable section weights are handled when fitting. Should you require longer lengths then please contact our sales team who will be happy to discuss your requirements.


# CHOOSING YOUR FENDERING PROFILE



Flat flange



Flat side



Stepped joint

## RIGID PVC OR ALUMINIUM BODY

Essentially both products are used for the same purpose – to complement a boat's clean lines whilst retaining a PVC insert which acts as a rub rail.

It really is simply a matter of personal preference as both will bend to the average boat's bow or transom. However, with the application of heat whilst fitting it is also possible to bend the rigid PVC downwards such as when the gunnel leads into a bathing platform.

As an alternative to using PVC inserts we also offer a range of rigid PVC bodies which carry predrilled stainless steel inserts to offer a modern, contemporary look.

## SAMPLES

You can order samples for all stock products easily online. Alternatively, you can contact our sales team by either telephoning on 01621 869609 or emailing them at [sales@wilks.co.uk](mailto:sales@wilks.co.uk).

Alternatively, you can send us a small sample of your existing profile to allow our sales team to identify a suitable replacement which match your requirements.

## PLACING AN ORDER

To place an order you can either do so online at [www.wilks.co.uk](http://www.wilks.co.uk) or else telephone a member of our sales team who will be happy to discuss your requirements and provide you with an immediate quotation.

# ABOUT WILKS FENDERING



Beautifully engineered synthetic decking and marine products.

Wilks have been the leading brand of marine fendering products for more than 50 years.

Acquired by Flexiteek International AB in 2019, Wilks has since changed its name to Flexiteek International Ltd. Our products are known for quality and innovation around the world with market leading ranges like Bump! and Click as well as an extensive range of traditional fendering options.

Wilks fendering is trusted by many of the world's leading boat makers and boat owners alike.

Find out more about our innovation, quality and craftsmanship for yourself, visit <https://www.wilks.co.uk/> and <https://www.flexiteek.com>.

## DISCLAIMER

All dimensions and information shown in this brochure are to our knowledge correct at the time of going to print. They are subject to our normal manufacturing tolerances and any modifications that we feel are necessary. Whilst we have endeavoured to ensure that the information given herein is true and reliable it is given only for the guidance of our customers. It is the user's responsibility to ascertain the suitability of products by their own tests.

"Wilks" is a registered trade marks of Flexiteek International Ltd.

No part of this catalogue may be reproduced without the express permission of Flexiteek International Ltd.



# FLEXITEEK

Beautifully engineered synthetic decking  
and marine products.

T +44 (0)1621 869609  
E [sales@wilks.co.uk](mailto:sales@wilks.co.uk)  
W [www.wilks.co.uk](http://www.wilks.co.uk)  
W [www.flexiteek.com](http://www.flexiteek.com)  
A Woodrolfe Rd, Tollesbury,  
Essex, CM9 8RY, England